



DECOMASTER

INTERIOR MOLDINGS



FLOOR SKIRTING

ABOUT COMPANY

DECOMASTER is a manufacturer of high-quality and stylish interior décor. We have been working for more than 25 years. All products are made in accordance with international quality standards. Our products are highly variable, fashionable and functional. Smart design and high technology assure strong and water-resistant products.



Quality control for all steps of production



Impact- and water-resistant with stable geometry



Eco-friendly production



No damage to nature and human health



All products meet international quality standards




Decomaster floor skirting are harmoniously combined with most popular floor coverings

DECOMASTER TODAY



- The leading manufacture in Russia
- A wide range of interior moldings, cornice and floor skirting
- Our superior quality products are fully impact- and water-resistant
- The products are paintable or have natural textures and colors
- Sustainability and eco-friendly

DECOM



DUROPROFILE

READY TO PAINT.
 Modern, eye-catching
 and multifunctional collection
 for interiors





Scan QR-code
and get more information
about DUROPROFILE floor
skirting



MODERN DESIGNS



EASY TO INSTALL



WATER-RESISTANT



IMPACT-RESISTANT



SAFE AND HEALTHY



NO DEFORMATION



HIDES CABLES





D230



Size (mm):
42x21x2000



D234



Size (mm):
58x16x2000



D231



Size (mm):
58x18x2000



D157



Size (mm):
66x13x2000



D125



Size (mm):
70x15x2000



D193A



Size (mm):
70x16x2000



D193



Size (mm):
70x16x2000



D122



Size (mm):
78x21x2000




D005



Size (mm):
79x13x2000



D235



Size (mm):
80x17x2000



D037



Size (mm):
80x13x2000



D137



Size (mm):
100x14x2000



D232



Size (mm):
100x22x2000



D004



Size (mm):
120x15x2000



D105



Size (mm):
107x12x2000




D233



Size (mm):
120x23x2000



D118



Size (mm):
138x18x2000



D104




Size (mm):
150x17x2000



Skirting D004

MODERN LINE

Clearly defined natural texture, stable color and geometry.
 Designer textures and trendy shapes.
 Eco-friendly and safety.
 Impact- and water-resistant.





D005



Size (mm):
79x13x2400









D105




Size (mm):
107x12x2400





Size (mm):
78x21x2400







Size (mm):
100x22x2000



D232-70 D232-16 D232-1070 D232-71 D232-72




D232-77 D232-75 D232-74 D232-438 D232-433



D232-78 D232-713 D232-80 D232-79 D232-84





D232-115 D232-966 D232-81



D232-85 D232-87 D232-86




D232-88 D232-83 D232-18D



Size (mm):
120x23x2000



D233-70 D232-16 D233-1070 D233-71 D233-72




D233-77 D233-75 D233-74 D233-438 D233-433



D233-78 D233-713 D233-80 D233-79 D233-84



D233-115 D233-966 D233-81



D233-85 D233-87 D233-86




D233-88 D233-83 D233-18D



D234




Size (mm):
58x16x2400







D235-70 D235-16 D235-1070 D235-71 D235-72




D235-77 D235-73 D235-75 D235-74 D235-438



D235-433 D235-78 D235-713 D235-80 D235-79



D235-115 D235-966 D235-81 D235-85 D235-86




D235-87 D235-88 D235-83 D235-18D D235-84



CLASSIC LINE

Design by Italy

Unique color solutions.
Refined forms
and rich decoration.





193



153



Size (mm):
70x16x2400




Size (mm):
95x15x2400





153




Size (mm):
95x15x2400



153



Size (mm):
95x15x2400




153-56




153-57



153-58



153-18D



153-19D




153-40



153-41



153-42




153-966



153-1223



153-59



153-60




153-63



153-43



153-44



Size (mm):
95x15x2400



153-1084



153-552



153-553



153-54



153-937



153-55



153-933



153-115

DECOMASTER products are made from impact-resistant polymer, a durable material that does not break, does not crumble and loves water. DECOMASTER products easy to install following a simple instruction.


Storage and installation conditions

Do not allow sudden changes in temperature and humidity between storage and installation.
Store profiles and adhesive in normal room temperature for 24 hours before installing



Preparation

Skirting are installed directly at the joint of the floor and the wall. Carefully flat the walls and the floor.



MARK AND MITRE



STEP 1

Measure inside corner



STEP 2

Use precision mitre saw if inside corner is not 90 degrees. Please note that saw blade must have a minimum sized teeth (for ex., aluminum disc).

You can use plastic miter box and hacksaw if inside corner is 90 degrees.

POSITION



STEP 3

Apply glue evenly on installation side over the entire length. Use Decomaster adhesive «Монтаж-Декор» for best results. The thickness of the applied adhesive layer will be 3 - 5 mm.



STEP 4

Push firmly over the entire length.



Remove excess adhesive in joints with spatula after max/1hr, repeat after 2-3 hours.



If necessary, remove excess adhesive from the product and from the junction with the wall with a cloth and soapy water or solvent.

JOINT



Apply instant action glue or «Монтаж-Декор» adhesive to the edge of the products.



Held firmly in every joint. Push firmly to the wall over the entire length. You can correct the joint if you use adhesive «Монтаж-Декор», and you can't correct if you use instant action glue.



Remove excess glue from joints with spatula after max 1hr, repeat after 2-3 hrs.



If necessary clean with Acetone or soapy water.

FINISH



Use fine finishing filler to smooth out the visible joints.



After 3 hours sand the joints with fine sandpaper for perfect finish.



Apply paint by brush, roller or spray gun. You can use all types of interior paints.



ADHESIVE-SEALANT «МОНТАЖ-ДЕКОР»

Professional sealant with high initial adhesion.

- Can be used to any surface.
- Elastic after complete drying, resistant to vibration.
- 30 minutes time of adjustment.
- Fungus and mold resistant. Can be used in WC, bathrooms and kitchens.
- Odorless
- Water-resistant, weather-resistant from -40 to + 90°C and UV-resistant after drying

Additional:

The adhesive sealant is elastic and does not use as a preparation of joints for painting. For filling joints between moldings please use special filers glue (only for products for painting). The glue defrosted at room temperature without intense heating (i.e., you cannot use a hair dryer, radiators, etc.)




DECOMASTER INSTANT ACTION GLUE

Cyanoacrylate instant action adhesive.

Due to structure, the adhesive allows you to carefully glue various surfaces without smudges and spreading. Particularly suitable for bonding uneven or porous surfaces with excellent occupancy.

Advantages:


- Quickly sets and dries.
- Provide mechanical strength to the joint.
- Water-resistant, UV-resistant and frost-resistant.
- Setting time up to 1 min.
- Complete drying time up to 10 minutes.



www.decomaster.org

 t.me/decomaster_su

 vk.com/decomaster_official

 zen.yandex.ru/decomaster